


☐ APPROVED BY:

DATE:

☐ REVISION REQUESTED



**LUMIDESIGN**

SALES AID-2019-12-13

PROPRIETARY AND CONFIDENTIAL:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN INC. IS PROHIBITED. © 2020 LUMI DESIGN



**BETA 23.00X31.00**

DIMS IN INCHES

REV. B


SCALE: 1:12

PG.1 OF 4

☐ APPROVED BY:

DATE:

☐ REVISION REQUESTED



**POWER REQ:** 120 VAC 1.0 AMPS

**LUMIDESIGN**

SALES AID-2019-12-13



BETA 23.00X31.00

**PROPRIETARY AND CONFIDENTIAL:**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN L.L.C. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN L.L.C. IS PROHIBITED. © 2020 LUMI DESIGN

DIMS IN INCHES

REV. B


SCALE: 1:8

PG.2 OF 4

☐ APPROVED BY:

DATE:

☐ REVISION REQUESTED




B

B

**MOUNTING LOCATIONS**

**3000K/4100K LED TEMPERATURE**



**SECTION B-B  
SCALE 1 : 4**

**\*\* PROVIDE PROPER BLOCKING  
ON COUNTER  
WEIGHT OF ~ 100 LBS**

<b>LED SPECIFICATIONS</b>	AVG RATED LIFE (hrs): 80000
	CCT (K): 3000/ 4100
	LUMENS: 475 / FT
	CRI: 89
NOMINAL WATTAGE: 5 WATTS / FT	
LED CHIPSET: CREE	
NOMINAL LENGTH (IN): 80"	

**LUMIDESIGN**

SALES AID-2019-12-13



**BETA 23.00X31.00**

**PROPRIETARY AND CONFIDENTIAL:**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN L.L.C. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN L.L.C. IS PROHIBITED. © 2020 LUMI DESIGN

DIMS IN INCHES

REV. B

SCALE: 1:8

PG.3 OF 4

☐ APPROVED BY:

DATE:

☐ REVISION REQUESTED

### LED SPECIFICATION CHECKLIST

LED TEMPERATURE (KELVIN)	2700K <input type="checkbox"/>	3000K <input type="checkbox"/>	4100K <input type="checkbox"/>	CUSTOM <input type="checkbox"/>
LINE VOLTAGE DIMMING	REQUIRED <input type="checkbox"/>		NOT REQUIRED <input type="checkbox"/>	
0-10 V DIMMING	REQUIRED <input type="checkbox"/>		NOT REQUIRED <input type="checkbox"/>	

### STANDARD SPECIFICATIONS

LED SPECIFICATIONS	AVG RATED LIFE (hrs): 80000	
	TOTAL LUMENS @ SOURCE: 3900	LUMENS: 600/FT
	CRI: 89-91	
	LED CHIPSET: EPISTAR	
POWER SPECIFICATION	24V DC	
	NOMINAL LENGTH (FT): 6.5'	
	NOMINAL WATTAGE: 5 WATTS/FT	

**LUMIDESIGN**

SALES AID-2019-12-13

PROPRIETARY AND CONFIDENTIAL:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN INC. IS PROHIBITED. © 2020 LUMI DESIGN



**BETA 23.00X31.00**

DIMS IN INCHES

SCALE: 1:12

REV.

PG.4 OF 4