

LUMIDESIGN

SALES AID-2019-12-13

PROPRIETARY AND CONFIDENTIAL:

SARAH-48.00X36.00-LED

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN INC. IS PROHIBITED. © 2020 LUMI DESIGN


DIMS IN INCHES **SCALE: 1:16**

REV. A

PG.1 OF 3

APPROVED BY: DATE:

REVISION REQUESTED



MOUNTING LOCATIONS



1	SALES AID-2019-12-13 SARAH-48.00X36.00-LED	DIMS IN INCHES	REV. A
4	PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN INC. IS PROHIBITED, © 2020 LUMI DESIGN	SCALE: 1:16	PG.2 OF 3

APPRO	VED BY: DATE:							
REVISIO	ON REQUESTED							
			LED SPECIFICA	ATION CHECKLIST				
	LED TEMPERATURE (KELVIN)		700K 🗌	3000К	4100k		CUSTOM	
	LINE VOLTAGE DIMMING		REQUIRED		NOT REQUIRED			
	0-10 V DIMMING		REQUIRED	NOT REQUIRED				
			STANDARD SPECIFICATIONS					
		AVG RATED LIFE (hrs): 80000						
			TOTAL LUMENS @ SOURCE: 4		1800 LUMENS: 600/FT		MENS: 600/FT	
	LED SPECIFICATIONS		CRI: 89-91					
		LED CHIPSET: EPISTAR						
		24V DC						
	POWER SPECIFICATION	NOMINAL LENGTH (FT): 8'						
			NOMINAL WATTAGE: 5 WATTS/FT					



SALES AID-2019-12-13

PROPRIETARY AND CONTIDENTIAL:
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUMI DESIGN INC. ANY REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN PERMISSION OF LUMI DESIGN INC. IS PROHIBITED. © 2020 LUMI DESIGN